REFERENCES:-

1] Mohamed A.K., Islam K.S., Hasan and Shakir M. (1999), Metal-ion directed synthesis of bi-nuclear octaazamacrocyclic complexes of manganese(II), cobalt(II), nickel(II), copper(II) and zinc(II) and their physico-chemical studies, *Transition Met.Chem.,* **24***:*198

2] Singh A. K., Chandra S. and Baniwal S. (1998), New *bis*-macrocyclic complexes with transition metal ions, *J. Indian Chem. Soc.* **75**: 84

3] Rajbhoj A. S., Korde N. S., Gaikwad Suresh T. and Korde Seema S. (2012), Efficient Ultrasound synthesis of β-diketone and its metal complexes, *Der Pharma Chemica,* **4(5):**1868-1872

4] Gilberto F.de Sa, Severino A. Jr., Blenio J.P. and Eronides F. da Silva Jr. (1998), A novel Fluorinated Eu(III) b-diketone complex as thin film for optical device applications, *Optical Materials* **11**:23-28

5] Shokrollahi A. and Haghighi A. (2012), Potentiometric Study of Complexation between three Oxime Derivatives and some Metal Ions in Water-Dioxane mixed solvent, *Chem Sci Trans.,***1(3)**: 538-551

6] Yüksel A., Fitnat K., Havva D., Ibrahim Y., Alaattin C. and Nusret K.. (2009), Potentiometric Studies On Nickel(II), Copper(II) And Zinc(II) Metalcomplexes With New Schiff Bases Containing Cyclobutane And Thiazole Groups In 60% Dioxane-Water Mixture, *J. Braz. Chem. Soc.***20**:2

7] Zaid A.A., Farooqui M. and Janrao D.M. (2012), Potentiometric Study of Atenolol as Hypertension Drug with Co(II), Ni(II), Cu(II) And Zn(II) Transition Metal Ions in aqueous solution, *Journal Of Saudi Chemical Society* **12**:025

8] Sawyer C.N., McCarty P.L. and Parkin McGraw Hill G.F., (1994), The Principles Of Potentiometric Analysis, *J.Hy.Pro.Tec.Assist.,* **32**:1-8

9] Harris D. C. Quantitative Chemical Analysis, 250-251, 279-288, 297-300, 351-355, 363-365 in 3rd ed.

10] Rossotti F. J. C. and Rossotti H. S. (1961), Metal–Ligand-Solution-Equilibria, *Mc Graw Hill Book Company, Inc : New york,* 199-231

11] Berthon G. (1995), The Stability constants of metal complexes of Amino Acids with polar side chains. *Pure and Appl.ied Chemistry*, **67(7)**:1117 – 1240

12) Tewari B. B. (2005),Some Aspects On The Stability Of Metal(Ii) - Methionine And Metal(Ii) Methionine Pencillamine (Binary & Mixed) Complexes An Paper Electrophoretic Technique J. Chil. Chem. Soc., **50(2)**:513-517

13) Seyed A. A.S. (2010) A Comparative Investigation Of Interaction Between Metal Ions With L-Methionene And Related Compounds Such As Alanine, Leucine, Valine, And Glycine In Aqueous Solution, Advances In Bioscience And Biotechnology, **1(1)**: 55-59

14] Aliyu H. N. and Mustapha A. (2009), Potentiometric Studies Of Nickel (II) And Copper(II) Acetyl Acetonato Complexes, *Bayero Journal Of Pure And Applied Sciences,* **2(2)**: 27 – 30

15] Aliyu H. N., and Aliya Na' J. (2010), Determination of Dissociation Constants of Amino acids using' ORIGIN 50' Program, *African Scientist,* **11(1)**: 5-19.

16] Aliyu H.N. and Bilyamin U.L. (2010), Potentiometric and Spectroscopic Investigations of Diacetato cinnamalideneacetylacetonato Mn (II), Co (II), Ni (II) and Copper(II) Complexes, *International Journal of Pharmaceutical and Applied Sciences,***1(3)**:14-19

17] Sharma N. and Sharma P. (2010), Synthesis, Spectral And Antimicrobial Studies Of Mixed Ligand Complexes With Transition Metal Ions [Mn (II), Cu (II), Co (II) And Ni (II)], *Oriental Journal Of Chemistry Vol.* **26(3)**:967-973

18] Vila Nova S. P., Da Silva J. E. C. , Alves J S. r, Batista H. C. N. , De Sousa J. D. F. , Malta O. M. L.and De Sá G. F., (1999), Luminescent Behavior of Eu(nta)3dipy Complex in the Presence of β-Cyclodextrins, *Ninth International Symposium on Cyclodextrins,* **5**:591-594

19] Bunzli J. (2006), Lanthanide-containing luminescent molecular edifices, *J.Alloys Compds*., **408**:934-944

20] BorsariM., Ferrari E., Grandi R. and Saladini M. (2002), Curcuminoids as potential new iron-chelating agents: spectroscopic, polarographic and potentiometric study on their Fe(III) complexing ability, *Inorganica Chimica Acta* **328**: 61–68

21] Aliya J. N. and Aliyu H.N. (2012), Potentiometric Study of Trismethioninato Complexes of some Essential Transition Metals, *Nigerian Journal of Basic and Applied Science*, **20(1)**: 83-86

22] SamardBabi K., Sovilj S. P. and Jovanovi, V.M. (2003), Comparative Electrochemical Study Of Some Cobalt (III) and Cobalt (II) Complexes with Azamacrocycles and B-Diketonato Ligands, *J.Serb.Chem.Soc.* **68(12)**: 989–999

23] Bnnemans K. (2007), Lanthanide and Actinides in Ionic Liquids, *Chem.Rev*., **107**:2592-2614

24] Khade B.C., Deore P. M. and Arbad B. R. (2010), Mixed-ligand complex formation of copper (II) with some aminoacids and Drug Dapsone, *International Journal of ChemTech Research*, **2(2)**:1036-1041

25) Adam Aruna, Verma Suman and Seth Gita (2011), Stability Constants of Mixed Ligand Complexes of Cu(II) and Ni(II) with Some Amino Acids and Phosphates, *E-Journal of Chemistry*, **8(1)**:404-408

26] Wafaa,M.H. and Perihan A.K. (2013), Potentiometric Study and Biological Activity of Some Metal Ion Complexes of Polyvinyl Alcohol (PVA). *Int. J. Electrochem. Sci.*, **8**:1520 - 1533

27] Samard K. B., Sovilj S. P. and Jovanovi V.M. (2003), Comparative Electrochemical Study Of Some Cobal t(III) And Cobalt(II) Complexes With Azamacrocycles And B-Diketonato Ligands, *J.Serb.Chem.Soc.*, ***68*(12):**989–999

28] Gaikwad M.N., Gaikwad S.T. and Rajbhoj A.S. (2012), Potentiometric Study of Menadione Complexes with Transition Metals in DMSO- Water and DMF-Water Medium, *J. Chem.Bio. Phy. Sci.* **2(4)**: 1651-1656.

29] Thomas M., Kulandaisamy A. and Manohar A. (2012), Synthesis, Spectral, Redox And Antimicrobial Investigation Of Some Schiffs Base Transition Metal Complexes, *International Jouranal Of Chemtech Research* **4(1)**: 247-257

30] VermaPooja N., Sheikh Javed I. and Juneja Harjit D. (2011), Synthesis of B-Ketones and Its Metal Complexes, *African Journal of Basic and Applied Sciences* **3(2)**:35-38

31] Ammar Reda A., Al-Mutiri Etap M. and Mohamed,Abdalla A. (2011), The determination of the stability constants of mixed ligand complexes of adenine and amino acids with Ni(II) by potentiometric titration method. *Fluid Phase Equilibria* **301**:51–55.

32] Eng S.J. and Motekaitis R.J. and Martell A.E. (2000), Degradation of Coordinated β-Diketonates as Iron Chelate Catalysts during the Oxidation of H_2S to S_8 By Molecular Oxygen, *Inorganica Chimica Acta* **299**:9–15

33] Podyachev S.N., Shagidullin R.R., Sudakova S.N., Mustafina A.R., Syakaev V.V., Galiev A.K., Bauer I. and Konovalov A.I. (2006), Synthesis of Tris(β-Diketones) and Study of their Complexation with some Transition Metals, *Russian Chemical Bulletin*, **55(11)**: 2000-2020